EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	763	(((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension$4) or "3-D" or stereoscop$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 16:38
L3	763	(((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension$4) or "3-D" or stereoscop$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 16:38
L4	79	((convers$4) same ((("3" or three) near dimension$4) or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 16:39
L5	119	((TOSHIO) near2 (NOMURA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L6	59	((HIROYUKI) near2 (KATATA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L7	77	((NORIO) near2 (ITO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L8	34	((TADASHI) near2 (UCHIUMI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L9	39	((TOMOKO) near2 (AONO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L10	5	((HIROAKI) near2 (YABE)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L11	6	((MAKI) near2 (TAKAHASHI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L12	6	((MOTOHIRO) near2 (ITO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L13	4	((MASATOSHI) near2 (TSUJIMOTO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L14	16	((MASAHIRO) near2 (SHIOI)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L15	7	((RYUJI) near2 (KITAURA)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/10/21 16:40
L16	120	((convers$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 16:50

L17	2	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and (border with imag$4 with (advanc$4 or previous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:55
L18	7	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 16:56
L19	0	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (diplay$4 or imag$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:01
L20	0	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (display$4 or imag$4)) and ((prepar$4 or generat$4 or render$4) with imag$4 with (advanc$4 or prior$4 or befor$4 or preceed$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:02
L21	0	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (display$4 or imag$4)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or preceed$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
L22	0	((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or preceed$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
L23	0	((convers$4 or convert$4) and (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) and ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or preceed$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:03
L24	3847	(345/419).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2009/10/21 17:04
L25	2	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and (border with imag$4 with (advanc$4 or previous$4)) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:04
L26	48	(((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension$4) or "3-D" or stereoscop$4)) and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:05
L27	48	(((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension$4) or "3-D" or stereoscop$4)) and 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2009/10/21 17:05

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L28	11	((convers$4) same ((("3" or three) near dimension$4) or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file))) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 17:05
L29	2	((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 17:13
L30	10	((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 17:13
L31	19	((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 17:13
L32	329	((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/21 17:13

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L33	3	(((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:14
L36	202	(345/419).CCLS.	UPAD	OR	OFF	2009/10/21 17:14
L37	0	(((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4))).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:14
L38	17	(((((file or code or software or program) with (extension or header)) same ("3D" or ((three or "3") near dimension$4) or "3-D" or stereoscop$4))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:15
L39	4	(((convers$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file)))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:15
L41	0	(((convers$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file)))).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:15
L42	36	((HIROYUKI) near2 (KATATA)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:15
L43	52	((NORIO) near2 (ITO)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L44	1	((HIROAKI) near2 (YABE)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L45	1	((MAKI) near2 (TAKAHASHI)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L46	2	((MOTOHIRO) near2 (ITO)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L47	1	((MASATOSHI) near2 (TSUJIMOTO)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16

L48	8	((MASAHIRO) near2 (SHIOI)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L49	2	((RYUJI) near2 (KITAURA)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L50	87	((TOSHIO) near2 (NOMURA)).INV.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L51	4	((convers$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or infromat$4 or file))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:16
L52	0	(((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:17
L53	0	(((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (diplay$4 or imag$4))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:17
L54	0	(((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (display$4 or imag$4)) and ((prepar$4 or generat$4 or render$4) with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4))).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:17
L55	0	(((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (display$4 or imag$4)) and ((prepar$4 or generat$4 or render$4) with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4))).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:17
L56	0	(((convers$4 or convert$4) with (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) with ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) with imag$4 with (advanc$4 or previous$4)) and (second with (information or data)) and ((analyz$4 or stud$4 or determin$4 or find) with (presenc$ or absen$4) with bordaer with (diplay$4 or imag$4))).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:17
L57	2	(((convers$4 or convert$4) same (("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) same ((display or control) with (info or informat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4))).clm. and "24"	USPAT; UPAD	OR	ON	2009/10/21 17:18
L58	0	((("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) and ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4)).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:21
L59	0	((("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) and ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4)).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:21
L60	0	((("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) and ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4)).clm.	USPAT; UPAD	OR	ON	2009/10/21 17:22
L61	0	((("3D" or ((three or "3" or third) near dimension$4) or "3-D") or stereo$4 or stereosco$4) and ((display or control) with (info or infromat$4 or file))) and ((border$4 or outlin$4 or fram$4) same imag$4 same (advanc$4 or previous$4)) and (second with (information or data)) and ((prepar$4 or generat$4 or render$4) with border$4 with imag$4 with (advanc$4 or prior$4 or befor$4 or proceed$4)).clm. and 36	USPAT; UPAD	OR	ON	2009/10/21 17:22
L62	20	("3960563" | "4344679" | "4422745" | "4583117" | "4727179" | "4837616" | "4956705" | "5243375" | "5602584" | "5638461").PN. OR ("6640004").URPN.	US-PGPUB; USPAT	OR	ON	2009/10/21 17:22
L63	2	("20030231205" | "20040117825").PN. OR ("7542814").URPN.	US-PGPUB; USPAT	OR	ON	2009/10/21 17:23

EAST Search History (Interference)

L64	21	("4969040" | "5128757" | "5337085" | "5459514" | "5491523" | "5633684").PN. OR ("5929912").URPN.	US-PGPUB; USPAT	OR	ON	2009/10/21 17:23